

# The Island Door Supplier

Pre-hung, machine-prepped, island-ready.



(808) 484-9360 | 99-1451 Koaha Pl Aiea, HI 96701 | HawaiiDoors.com



**40**  
YEARS  
OF SUPPLYING  
HAWAII DOORS

# Doors, Built for Hawai'i



## Introduction: **Who Are We?**

Hawaii Western Doors is a women-owned company that has proudly served the Hawaiian Islands for forty years.

We specialize in wood and fiberglass doors, ensuring they are precision-machined and pre-hung for a perfect fit. This leads to faster installation and fewer callbacks. Each door is equipped with hinges, bore holes, and fitted jambs before delivery. We use signed measures and order sheets to maintain accountability and provide both vendor and shop warranties for every project.

Our approach blends stocking essential items with the option to special order. We deliver to all islands, coordinating directly with job sites.

As a trusted partner to Hawai'i's top architecture, construction, and development firms, we prioritize integrity, service, and giving back. When precision is crucial, builders and homeowners count on us.

## **A Better Way** to Source Doors in Hawai'i

### **Decades of Local Service**

Serving builders across the islands with deep knowledge of Hawai'i projects, conditions, and timelines.

### **Locally Owned**

A business built on integrity, craftsmanship, and commitment to our island community.

### **Built for Your Workflow**

From everyday stock needs to custom architectural specs—we make ordering doors easier.

### **What We Do**

- Stock interior doors for everyday jobs that need to move fast
- Precision machining and prep work completed in-house
- Pre-hung and special-order options when your project demands more

# This Catalog Is For You



Built for the people who *specify, build, fix, sell,* and *live* with the doors.



## Architects

You design with *intent*. We help make sure the doors you specify arrive prepared, consistent, and ready to install—so the details you drew are the details that show up.



## General Contractors

You're managing schedules, subs, and risk. We simplify door ordering and prep, so installs stay clean, timelines stay tight, and surprises stay off the jobsite.



## Developers

You need repeatability and reliability across units and projects. We provide consistent options that scale — from stock interiors to project-specific orders — without slowing production.



## Handyman

You want doors that fit, swing right, and install without headaches. We make it easy to get the right door, properly prepped, without overcomplicating the process.



## Homeowners & Realtors

You want the finished space to look and feel right. We help you choose doors that fit your home and make sure they're prepped correctly — so the end result is exactly what you expected.

# How-To-Order



## Tell Us What You Need. We'll Handle the Details.

Getting a quote is *simple*. Reach out by phone, email, or through our website – however works best for you. A door specialist will follow up to confirm details, answer questions, and provide pricing. Once your order is confirmed, we machine, prep, or pre-hang your doors in-house.

*Everything ships ready to install.*

## What We Need to Quote Fast:

### Door Specs

Sizes, quantities, handing, and swing direction.

### Machining Notes

Hinge specs, lock bore, backset, and any special prep.

### Project Timeline

Your desired delivery or pickup date.

 **The clearer your information, the faster we move.** If you have a door schedule, send it over – we'll take it from there. For detailed prep, we use a machining sheet to make sure every cut is right the first time.

## Typical Lead Times

### In-Stock Doors

**24 - 48 hours**  
for Flush Panel Doors

### Special Order & Architectural

A few weeks, depending  
on availability and complexity.

*For custom orders, we recommend a quick call with our team to confirm timing and specs.*

**Not sure what you need? That's fine. We will walk you through it.**

# What We Carry



## Stock What's Common. Source What's Not.

**We keep flush panel doors in stock** – hollow core and solid core – in the sizes most projects call for. Need it fast? In-stock doors can ship within 24–48 hours, machined and prepped to your specs.

When your project calls for something else, we source it. Panel doors, louver, bifold, barn doors, French doors, routed, grooved, 20-minute fire-rated – if it's wood, we can get it, prep it, and have it ready to install.

### What We Supply:

- Interior and exterior wood doors
- Flush panel, raised panel, louver, bifold, barn, French, routed, grooved
- 20-minute fire-rated doors
- Custom sizes and configurations

### What We Don't Do:

- Glass doors
- Metal doors or frames
- Hardware (handles, hinges, locks)

*We supply wood doors – that's our focus. Every door can be machined and prepped to your specs before it leaves our shop.*

**Not sure if we stock it or source it?** Just ask, we'll point you in the right direction.

# Door Machining & Prep



## Cut Right. Checked Twice. Ready to Hang.

Most doors ship flat — no hinges, no bores, no prep. That means more work on site, more room for error, and more chances for delays.

**We do it differently.** Every door we send out is machined and prepped in-house before it leaves our shop. Hinge mortises, lock bores, latch prep, strike routing, undercutting — whatever the job calls for, we handle it here.

**We double-check everything.** Every order is reviewed and signed off before it goes to the machine — and again after. If it's not right, it doesn't ship. We're thorough because we know a door that doesn't fit costs everyone time and money.

## Prepped *in* Hawai'i. Built *for* Hawai'i.

### Doors arrive ready to install

No field modifications needed on site

### Fewer callbacks, fewer surprises

Reduced errors and consistent quality

### Faster installs, tighter timelines

Keeps projects moving on schedule

# HOW TO MEASURE



## Find the Perfect Fit

If you're replacing a door, you're probably asking: What size door do I need? The answer depends on whether you're measuring your existing door or the rough opening.

### Measure the height and width of the framed door space.

To measure a door, first measure the width at the top, middle, and bottom of the door frame, using the widest measurement for the width. Then, measure the height from the top to the bottom of the frame, and also check the thickness of the door if you're replacing it.

- Measure the width of the door in 3 locations. Use the smallest figure as your measurement.
- Measure the height of the door right in the middle. Measure from the floor to the underside of the trim at the top of the door.
- If you must, it is always better to round down than round up. This helps to ensure that your door will fit.

### Why accurate door measurements matter.

Wrong door sizes cause expensive problems. Proper measurements save money, ensure building code compliance, and make installation faster.

 **Perfect Fit Every Time**

 **Faster Installation**

 **Save Money on Materials**

 **Increase Home Value**

 **Meet Building Codes**

 **Better Security**



# SPECIAL ORDER DOORS



## If You Can Spec It, We Can Source It.

**Looking for something beyond stock?** We'll help you get the right door for the design intent—without the guesswork or long lead-time surprises. Whether you're chasing a specific species, a custom profile, or an architect-driven detail, we have the sourcing relationships to make it happen.

### Common Requests

- Premium wood species (mahogany, walnut, white oak, koa)
- Upgraded panel styles and architectural profiles
- Unique sizes and non-standard dimensions
- Project-specific finishes or fire-rated requirements

### How to Spec

#### Send us:

- Your door schedule,
- An inspirational photo (if available)
- Your timeline.

We'll guide you through options, lead times, and pricing—no surprises down the line.

# PRE-HUNG DOORS

Faster Installs, Better Consistency



**When time and consistency matter**, pre-hung doors reduce site labor and eliminate the variables that cause delays. Frame, hinges, and door arrive as one unit, ready to set and trim.

'Pre-hung' refers to a door complete in a frame. They consist of three main components:

**DOOR LEAF:** this is the actual panel that swings in the opening.



**DOOR JAMB:** liner or frame that surrounds the opening on which the door leaf is hinged.

**STOPS:** usually 'planted' onto jamb. This is the part of the door frame the door hits when it closes


A standard pre-hung door will be supplied with the following (unless otherwise specified):

**JAMB:** 25 mm

**FLOOR CLEARANCE:** 20mm



Left Hang




Right Hang

## Jamb


A door jamb is the vertical structure mounted in the wall's "hole" which acts as the supporting surface for the hinges and for the door to latch or deadbolt. If a jamb is not installed correctly, a door literally won't close properly, latch correctly or function properly.

## Hanging

Use the diagram to work out the hanging of the door *i.e.*, the ways it swings. Always imagine the door as swinging towards you.




# SOLID CORE DOOR



**Solid Core doors** represent an interim construction method, in which a fine-grade surface wood veneer is glued over a solid core made of engineered wood, such as MDF or particle board. This gives the door an excellent feel and improved soundproofing.

# HOLLOW CORE DOOR



**Hollow Core Doors** are lightweight doors created from two molded surfaces with a hollow cavity in between. These doors are available with a smooth or wood grain texture and mimic the look of a traditionally built door.

# Lynden Door

The Perfect Door for Any Project



## Discover the Ideal Interior Doors for *Residential, Light Commercial, and Architectural / Commercial Spaces*

Lynden Door offers a comprehensive range of high-quality interior door products for residential, light commercial, and architectural/commercial applications. Our doors are designed to meet the diverse needs of different spaces while maintaining exceptional quality and aesthetic appeal.

### Why Choose Lynden Door?

- **Versatile Product Portfolio:** Doors crafted to blend seamlessly with any environment, from residential to commercial and architectural designs.
- **Quality and Durability:** Doors built to last, offering a blend of aesthetics and functionality.
- **Customization Options:** A variety of styles, materials, and finishes to match project requirements.

### Why Choose Lynden Door?

Improve the look and comfort of your home with our broad range of residential interior doors. From timeless designs to contemporary styles, you will find doors that fit your décor perfectly

All Lynden Door *Residential* products (**SD Series**) are available with either a hollow or solid core and carry a **1-year limited warranty**. Select doors (solid core, 1-3/4" thick) may be ordered with a fire rating.

For larger *commercial* projects and architectural designs, our doors offer superior performance and elegant aesthetics, making them a perfect choice for high-traffic areas and sophisticated settings.

Light *Commercial* **CD Series** doors come with a **5-year limited warranty**, and Architectural LD Series doors have a lifetime limited warranty.

# Lynden Door

The Perfect Door for Any Project



## New Designs - FineLine Collection

Discover the FineLine Collection – *Where Minimalism Meets Magnificence.*



Inspired by the *vibrant* neighborhoods of the Pacific Northwest, FineLine doors reflect the distinct charm of Portland, Seattle, and Vancouver.

Seattle's Alki, Montlake, Ravenna, and Ballard blend modern lines with coastal influences. Portland's Parkrose and Laurelhurst showcase architectural elegance, while Vancouver's Denman, Granville, Fairview, and Robson embody urban sophistication and cosmopolitan flair. Every design tells a story, capturing the spirit of these iconic districts.

## Clean. Modern. Purposeful.

FineLine designs introduce understated, sleek profiles that bring a fresh, refined aesthetic to any space. Where less is more, these doors make minimalism magnificent.

Designed for single-family, multi-family, and hospitality projects, the FineLine Collection offers grooved profiles thoughtfully positioned for hardware compatibility and accessibility compliance. Performance upgrades include ventilated core options, STC and fire ratings, ensuring design flexibility without compromise.

Available as passage, bifold, or double door systems, FineLine is crafted to meet every architectural and design need.



# Lynden Door

From Coastal Charm to Urban Sophistication



## Where Minimalism Meets Magnificence.

Choose from ten unique profiles, each designed to deliver understated elegance with clean, streamlined designs that complement modern interiors with ease.



# Lynden Door

Modern in Style & Construction



## ELEMENTAL Collection



The **ELEMENTAL** Door Collection of bevel grooved door designs is modern in style and construction. ELEMENTAL door designs are characterized by clean, simple lines. Offering a modern take on traditional wood and molded doors, the 1- and 2-Panel door designs allow room for interpretation in any architectural and interior design environment.

**All door designs are now available with single or double route lines.**

**Designed, engineered and fabricated for today's building needs, these doors are at home in any application.**

Rooted in the familiar, evolving through progressive design, a fusion of modern aesthetics and forward-thinking innovation.

The ELEMENTAL Collection of grooved door designs are modern in style & construction

- Grooved primed flush doors
- All configurations meet ADA requirements and accessibility guidelines.
- Hollow and solid core doors available
- 6" stile width easily accommodates door hardware
- (doors 2'0" and up to 4'0" [greater widths available special order])
- 10" bottom rail meets most disability access requirements
- Up to 90-minute fire rating available\*
- Optional exit device blocking
- 6'8", 7'0" and 8'0" heights
- Ventilated door options
- Bifold doors available\*

*\*Contact your Hawaii Western Door representative for more information*

## SINGLE LINE

With clean, straightforward lines, ELEMENTAL doors offer a fresh, modern perspective on traditional wood and molded doors, making them versatile for any design setting.



1-Panel Single Line



2-Panel Single Line



3-Panel Single Line



4-Panel Single Line



5-Panel Single Line

## DOUBLE LINE

ELEMENTAL doors with double lines, add depth and character to any space. These doors are designed to create dimension, transforming ordinary interiors into extraordinary living spaces. Perfect in both single and multi-family applications.



1-Panel Double Line



2-Panel Double Line



3-Panel Double Line



4-Panel Double Line



5-Panel Double Line

# Lynden Door

Modern in Style & Construction



## StileLine Door Collection



The natural beauty of wood veneer sketch face designs that showcase the beauty of wood and create a bold, modern look.

These premium natural wood veneer doors are at home in spaces ranging from high-end commercial projects to luxury spas and custom homes. If you are looking for elegant designs, StileLine is the perfect solution.

### Key Features:

- European styling with an opposing grain in Quarter Sawn African Mahogany, Plain Sliced White Maple, Rift White Oak, and Quarter Sawn Black Walnut
- High-quality wood veneer doors provides the warmth and beauty of natural wood
- Solid or hollow core options
- Wide top and bottom rails allow trimming of up to 1" on each end
- Custom factory machining
- Available 1-3/8" and 1-3/4" thick and 6'8", 7'0" & 8'0" heights in passage and bifold door sizes
- Custom sizes available
- Optional ClearLine Factory Finish is an affordable, state-of-the-art, ultra-violet-cured clear coat finish (no VOCs released in the home)
- Due to the nature of real wood, each door surface will vary in woodgrain patterns, color, and appearance, showcasing the beauty of real wood
- Fire ratings available
- STC sound-rated doors

# Lynden Door

StileLine Door Collection



## StileLine Door Collection



StileLine-African-Mahogany



StileLine-Maple



StileLine-Rift-White-Oak



StileLine-Walnut

Due to the nature of real wood, each door surface will vary in woodgrain patterns, color, and appearance, showcasing the beauty of real wood

## ReDiscovery Door Collection



The luxury of stunning wood grain with custom-order veneers, exotic wood and boutique-style design. These door designs are show stoppers.

### Key Features:


- Contemporary look and custom opportunities for horizontal grain or sketchface designs.
- Rediscover doors by employing one of our existing custom designs or exploring other species, configurations & finishes
- High-quality wood veneer doors provide the warmth and beauty of natural wood
- Solid or hollow core options
- Wide top and bottom rails allow trimming of up to 1" on each end
- Custom factory machining
- Available 1-3/8" and 1-3/4" thick and 6'8", 7'0" & 8'0" heights in passage and bifold door sizes
- Custom sizes available
- Optional ClearLine Factory Finish is an affordable, state of the art, ultra-violet cured clear coat finish (no VOCs released in the home)
- Due to the nature of real wood, each door surface will vary in woodgrain patterns, color and appearance, showcasing the beauty of real wood.
- Fire ratings available
- STC sound rated doors

# Lynden Door

ReDiscovery Door Collection



## ReDiscovery Door Collection



ReDiscovery - Special Order 001



ReDiscovery - Special Order 002



ReDiscovery - Special Order 003

# Lynden Door

## Molded Door Collection



## Molded Door Collection



Versatile designs for a range of interior needs, these fiberboard doors offer style & character in a range of designs, including flat recessed panels and traditional smooth raised panel designs.

### Key Features:

- Contemporary panel designs in all popular panel layouts
- Smooth and woodgrain textured molded designs with flat or raised panels
- Molded high-density fiberboard facings resist shrinking, swelling, cracking and joint separation
- Available with matching bifolds
- Hollow and solid core choices
- Engineered wood construction outperforms wood doors while offering superior value
- Wide top and bottom rails allow trimming of up to 1" on each end
- Custom factory machining
- Available 1-3/8" and 1-3/4" thick and 6'8", 7'0" & 8'0" heights in passage and bifold door sizes
- Door facings contain recycled wood fibers and No Added Urea Formaldehyde (please ask your sales representative for more information)
- Fire ratings available
- STC sound rated doors

# Lynden Door

Molded Door Collection



## Molded Door Collection



MDC - Mercer



MDC - Whitman



MDC - Aberdeen



MDC - Yarrow



MDC - Winthrop



MDC - Kingston



MDC - Rosario



MDC - Lopez



MDC - Benton



MDC - Columbia



MDC - Blakely



MDC - Bonneville

# Lynden Door

## Wood Veneer Door Collection



## Wood Veneer Door Collection



The natural wood grain patterns in wood veneer doors create unique, one-of-a-kind designs at a value price point. Wood veneer flush doors offer exceptional versatility for any project—commercial, hospitality, institutional, or residential.

### Key Features:

- Residential and Architectural Grade Hardwood veneers
- High-quality wood veneer doors provide the warmth and beauty of natural wood
- Plain Sliced, Quarter or Rift cut, producing a narrow striped pattern or natural Rotary-cut showcasing the unique grain patterns of natural wood
- Popular species for both commercial and residential applications
- Wide top and bottom rails allow trimming of up to 1" on each end
- Available 1-3/8" and 1-3/4" thick and 6'8", 7'0" & 8'0" in passage and bifold door sizes
- Custom sizes available
- Custom factory machining
- Optional ClearLine Factory Finish is an affordable, state-of-the-art, ultra-violet-cured clear coat finish (no VOCs released in the home)
- Due to the nature of real wood, each door surface will vary in woodgrain patterns, color, and appearance, showcasing the beauty of real wood.
- 20-minute fire ratings available
- STC sound-rated doors

# Lynden Door

Wood Veneer Door Collection



## Wood Veneer Door Collection



WV - Natural Birch 01



WV - Fir



WV - White Oak 01



WV - White Oak 02



WV - Red Oak



WV - Cherry



WV - Sapele



WV - African Mahogany



WV - Walnut



WV - White Maple



WV - Uniform Light Birch



WV - Natural Birch 02

# Lynden Door

Durable and Economical



## Prefinished Door Collection



Prefinished flush doors are ready to install with a factory applied, uniform finish that makes them easy to maintain.

A variety of textures and finishes cover the color spectrum and offer options from light to dark in smooth, textured and traditional embossed surfaces.

*Unfinished and primed doors are also available (not shown).*

### Key Features:

- Prefinished doors offer great value at an affordable price.
- Durable and stable
- Arrive ready to install
- Professionally applied, uniform finish
- No maintenance
- A variety of finishes
- Available in smooth, traditional embossed, and textured surfaces
- Rift Cut textures in Coffee, Slate, Medium Walnut, and Teak
- Unfinished and primed coated also available
- All doors are available with hollow or solid core construction and matching bifolds
- 1-3/8" and 1-3/4" thick
- Fire ratings available
- STC sound-rated doors

## Prefinished Door Collection



**Newport Cherry Smooth**



**Western Hemlock Smooth**




**Coastal Hemlock Smooth**



**Alpine Oak Smooth**



**Albany Maple Smooth**



**Primed Smooth**



**Beauport Walnut Embossed**



**Mendocino Oak Embossed**



**Crystal White Embossed**



**Primed Embossed**



**Rift Cut Coffee Textured**



**Rift Cut Teak Textured**



# CONTEMPORARY COLLECTION

Contemporary design is a dynamic, evolving concept. We take pride in presenting our collection of Contemporary Doors that capture the essence of modern aesthetics. Embrace sleek lines, minimalist appearances, and unique styles – all paired with the expected quality and craftsmanship.



7409 Door | Clear IG 

## SQUARE GROOVE | DOUGLAS FIR

### Glass Options

4974, 4977 and 4973 doors and sidelites are available with your choice of:



Low-E



Satin Etch


**4974 DOOR** (GLASS ON RIGHT)

**4977 DOOR** (GLASS ON LEFT)

**4973 SIDELITE**



Satin Etch, Low-E IG  
3'0" x 6'8" Door  
1'2" x 6'8" Sidelite



Satin Etch, Low-E IG  
3'0" x 8'0" Door



 UltraBlock® Technology IG = 3/4" Insulated Glass

SHAKER STICKING | DOUGLAS FIR



7404



Clear IG  
3'0" x 6'8"

Satin Etch IG  
3'0" x 6'8"

Clear IG  
3'0" x 8'0"

Satin Etch IG  
3'0" x 8'0"

7405



Clear IG  
3'0" x 6'8"

Satin Etch IG  
3'0" x 6'8"

Clear IG  
3'0" x 8'0"

Satin Etch IG  
3'0" x 8'0"

7406



Clear IG  
3'0" x 6'8"

Satin Etch IG  
3'0" x 6'8"

Clear IG  
3'0" x 8'0"

Satin Etch IG  
3'0" x 8'0"

7409



Clear IG  
3'0" x 6'8"

UltraBlock® Technology IG = 3/4" Insulated Glass



# CRAFTSMAN COLLECTION

Exquisite craftsmanship has been a fundamental pillar of American architecture across generations, serving as the bedrock of our nation's greatness. Our exterior Craftsman-style doors embody this tradition with their exceptional quality and meticulous attention to detail.

All Craftsman doors come standard with UltraBlock® Technology and a 5-Year limited warranty.



**8-1/2" WIDE STILE**  
Our 3'6" x 6'8" 2-Panel Craftsman Doors feature 8-1/2" Stiles and are available with all our craftsman style glass options.


## SIMULATED DIVIDED LITE (SDL) FOR EXTERIOR DOORS

Features a single insulated glass unit (IG) with bars applied to the glass surface, providing the look of traditional True Divided Lites with improved performance. The 7/8" wide SDL bars allow more viewing area and the single glass unit improves energy efficiency.

### SDL IG WITH OVOLO PROFILE

### SDL IG WITH SHAKER PROFILE

Option (call for quote)



The lite construction type is indicated in the door design number as **SDL** (Simulated Divided Lites) or **TDL** (True Divided Lites). Our Hawaii Western Door Products' standard lite construction is **Simulated Divided Lite**. All doors shown are SDL, unless otherwise noted.

**Please note,** Select SDL door designs are also available with True Divided Lites (TDL). Please contact your Hawaii Western Door Products representative for more information.

## DOUGLAS FIR

 <b>6811</b>  Clear IG 3'0" x 6'8"	 <b>36812</b>  Clear IG 3'0" x 6'8"	 <b>36813</b>  Clear IG 3'0" x 6'8"	 <b>TDL 6813</b>  TDL* Beveled Glass 3'0" x 6'8"	 <b>6175</b>  Clear IG 1'2" x 6'8"	 <b>6170</b>  Clear IG   Low-E 1'2" x 6'8"
---	---	---	---	--	--

 UltraBlock® Technology  3/4" Flat Panel with Ovolo Sticking \*See page 8 for more details IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite

<p><b>6801</b></p> 	 <p>Clear IG 3'0" x 6'8", 3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)</p>	 <p>Clear IG 3'0" x 8'0"</p>	 <p>6801AM Angled Mutt Clear IG 3'0" x 6'8"</p>	 <p>6801 AR Arched Rail Clear IG 3'0" x 6'8"</p>	 <p><b>6861</b></p>  <p>Optional 9540 Dentil Shelf Clear IG 3'0" x 6'8"</p>
<p><b>36802</b></p> 	 <p>Clear IG 3'0" x 6'8", 3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)</p>	 <p>Clear IG 3'0" x 8'0"</p>	 <p>36802 AM Angled Mutt Clear IG 3'0" x 6'8"</p>	 <p>36802 AR Arched Rail Clear IG 3'0" x 6'8"</p>	 <p><b>36862</b></p>  <p>Clear IG 3'0" x 6'8"</p>
<p><b>36803</b></p> 	 <p>Clear IG 3'0" x 6'8"   3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)</p>	 <p>Clear IG 3'0" x 8'0"</p>	 <p>36803 AM Angled Mutt Clear IG 3'0" x 6'8"</p>	 <p>36803 AR Arched Rail Clear IG 3'0" x 6'8"</p>	 <p><b>36863</b></p>  <p>Clear IG 3'0" x 6'8"</p>

**DENTIL SHELF OPTIONS**

**9541**  
Large Tooth

**9540**  
Small Tooth

**9510**  
Large Tooth Sidelite Dentil

For the finishing touch, consider a dentil shelf. This decorative shelf sits under the glass adding character and curb appeal to your entrance. All exterior Craftsman doors are available with dentil shelf option.


## DIVIDED LITE CONSTRUCTION

Divided lites have been an integral part of our heritage for centuries. We provide two primary construction options: Simulated Divided Lite (SDL), which is the Hawaii Western Door Products Standard, and True Divided Lite (TDL).


### TRUE DIVIDED LITE (TDL) FOR EXTERIOR AND INTERIOR DOORS

TDL construction uses separate glass units divided by muntin bars and is available for doors with either insulated glass (IG) or single glazed glass (SG).

**TDL IG WITH OVOLO PROFILE**



**TDL SINGLE PANE WITH CLAMP GLAZE**



**TDL  
7860 DOOR  
7260 SIDELITE**



**TDL**  
Clear Beveled IG, Low-E IG or Clear IG  
3'0" x 6'8" Door  
1'2" x 6'8" Sidelite OPEN  
(glass options non-stock)



**TDL  
77860**



**Nantucket® Collection**  
TDL | Low-E  
3/4" Solid Flat Panel  
3'0" x 6'8"



77860 | TDL | Low-E



UltraBlock® Technology
 NO UltraBlock® Technology
 Shaker; 3/4" Solid Flat Panel with Square Sticking
 1-7/16" Innerbond® Double-Hip Raised Panel with Ovolo Sticking

DOUGLAS FIR



37664

Clear IG  
3'0" x 6'8"



37662 DOOR  
37663 SIDELITE

Clear IG  
3'0" x 6'8" Door  
1'2" x 6'8" Sidelite



Clear IG  
3'0" x 8'0" Door



37228

Clear IG  
3'0" x 6'8"



TDL  
7218 DOOR

Clear IG  
3'0" x 6'8" Door



DENTIL SHELF OPTIONS



9541

Large Tooth




9540

Small Tooth



9510

Large Tooth Sidelite Dentil



37228 left 37944 right | Clear IG



UB UltraBlock® Technology AP 2 1-7/16" Innerbond® Double-Hip Raised Panel with Ovolo Sticking V 1-7/16" Innerbond® Double-Hip Raised Panel, Beaded V-Groove



7218 Door 9541 Dentil Shelf | Clear IG



FOUR SQUARE® | DOUGLAS FIR



**6951**  
 Black Caming  
 3'0" x 6'8"



**6961**  
 Black Caming  
 3'0" x 6'8", 3'0" x 7'0",  
 and 3'6" x 6'8" (8-1/2" stiles)



Black Caming  
 3'0" x 8'0"



**6951 AM**  
 Angled Mutt  
 Black Caming  
 3'0" x 6'8"



**6951 AR**  
 Arched Rail  
 Black Caming  
 3'0" x 6'8"



**6971**  
 Black Caming  
 3'0" x 6'8"



**6179**  
 Black Caming  
 1'2" x 6'8"



**6176**  
 Black Caming  
 1'2" x 6'8"

DENTIL SHELF OPTIONS



**9541**

Large Tooth




**9540**

Small Tooth



**9510**

Large Tooth Sidelite Dentil





36883 Door 9541 Dentil Shelf 6171 SL



SOLANO® | DOUGLAS FIR




**6851**  
 Black Caming  
 3'0" x 6'8"




**6841**  
 Optional 9541  
 Dentil Shelf  
 Black Caming  
 3'0" x 6'8", 3'0" x 7'0",  
 and 3'6" x 6'8" (8-1/2" stiles)



Black Caming  
 3'0" x 8'0"



6841 AM  
 Angled Mutt  
 Black Caming  
 3'0" x 6'8"



6841 AR  
 Arched Rail  
 Black Caming  
 3'0" x 6'8"



**6881**  
 Black Caming  
 3'0" x 6'8"



**6171**  
 Black Caming  
 1'2" x 6'8"

VALENCIA™ | DOUGLAS FIR



**36853**  
 Black Caming  
 3'0" x 6'8"



**36843**  
 Black Caming  
 3'0" x 6'8", 3'0" x 7'0",  
 and 3'6" x 6'8" (8-1/2" stiles)



Black Caming  
 3'0" x 8'0"



36843 AM  
 Angled Mutt  
 Optional 9541  
 Dentil Shelf  
 Black Caming  
 3'0" x 6'8"



36843 AR  
 Arched Rail  
 Black Caming  
 3'0" x 6'8"



**36883**  
 Black Caming  
 3'0" x 6'8"

UB UltraBlock® Technology FP 3/4" Flat Panel with Ovolo Sticking

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite

HOLBROOK™ | DOUGLAS FIR



**6831**  
 Silver Caming  
 3'0" x 6'8"



**6821**  
 Silver Caming  
 3'0" x 6'8", 3'0" x 7'0",  
 and 3'6" x 6'8" (8-1/2" stiles)



Silver Caming  
 3'0" x 8'0"



**6821 AM**  
 Angled Mutt  
 Silver Caming  
 3'0" x 8'0"



**6821 AR**  
 Arched Rail  
 Silver Caming  
 3'0" x 8'0"



**6871**  
 Silver Caming  
 3'0" x 8'0"



**6172**  
 Silver Caming  
 1'2" x 6'8"

**DENTIL SHELF OPTIONS**



**9541**  
 Large Tooth



**9540**  
 Small Tooth



**9510**  
 LargeTooth Sidelite Dentil

TORRANCE® | DOUGLAS FIR



**36833**  
 Optional 9541  
 Dentil Shelf  
 Silver Caming  
 3'0" x 6'8"



**36823**  
 Silver Caming  
 3'0" x 6'8", 3'0" x 7'0",  
 and 3'6" x 6'8" (8-1/2" stiles)



Silver Caming  
 3'0" x 8'0"



**36823 AM**  
 Angled Mutt  
 Silver Caming  
 3'0" x 6'8"



**36823 AR**  
 Arched Rail  
 Silver Caming  
 3'0" x 6'8"



**36873**  
 Silver Caming  
 3'0" x 6'8"

UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite



RAVENNA™ | DOUGLAS FIR



**6921**  
 Black Caming  
 3'0" x 6'8"



**6931**  
 Black Caming  
 3'0" x 6'8", 3'0" x 7'0",  
 and 3'6" x 6'8" (8-1/2" stiles)



Black Caming  
 3'0" x 8'0"



**6931 AM**  
 Angled Mutt  
 Black Caming  
 3'0" x 6'8"



**6931 AR**  
 Arched Rail  
 Black Caming  
 3'0" x 6'8"



**6941**  
 Optional 9541  
 Dentil Shelf  
 Black Caming  
 3'0" x 6'8"



**6178**  
 Black Caming  
 1'2" x 6'8"



**6177**  
 Black Caming  
 1'2" x 6'8"

DENTIL SHELF OPTIONS



**9541**  
 Large Tooth



**9540**  
 Small Tooth



**9510**  
 LargeTooth Sidelite Dentil

UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite

TALCOTT™ | DOUGLAS FIR


 <p><b>36922</b> Black Caming 3'0" x 6'8"</p>	 <p><b>36932</b> Black Caming 3'0" x 6'8", 3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)</p>	 <p>Black Caming 3'0" x 8'0"</p>	 <p><b>36932 AM</b> Angled Mutt Black Caming 3'0" x 6'8"</p>	 <p><b>36932 AR</b> Arched Rail Black Caming 3'0" x 6'8"</p>	 <p><b>36942</b> Black Caming 3'0" x 6'8"</p>
--	--	---	---	---	--

PALOMAR™ | DOUGLAS FIR

 <p><b>36923</b> Black Caming 3'0" x 6'8"</p>	 <p><b>36933</b> Black Caming 3'0" x 6'8", 3'0" x 7'0", and 3'6" x 6'8" (8-1/2" stiles)</p>	 <p>Black Caming 3'0" x 8'0"</p>	 <p><b>36933 AM</b> Angled Mutt Black Caming 3'0" x 6'8"</p>	 <p><b>36933 AR</b> Arched Rail Black Caming 3'0" x 6'8"</p>	 <p><b>36943</b> Black Caming 3'0" x 6'8"</p>
--	--	---	---	---	--

UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite



6356 Door 8'0" with single bottom panel 6347 SL



SCOTTSDALE CACTUS® | DOUGLAS FIR



**6984**  
 Black Caming  
 3'0" x 6'8"



**6972**  
 Black Caming  
 3'0" x 6'8", 3'0" x 7'0",  
 and 3'6" x 6'8" (8-1/2" stiles)



Black Caming  
 3'0" x 8'0"



**6972 AM**  
 Angled Mutt  
 Black Caming  
 3'0" x 6'8"



**6972 AR**  
 Arched Rail  
 Black Caming  
 3'0" x 6'8"



**6982**  
 Black Caming  
 3'0" x 6'8"



**6182**  
 Black Caming  
 1'2" x 6'8"



**6185**  
 Black Caming  
 1'2" x 6'8"

PORTSMOUTH® | SCARBOROUGH® | GREENWICH® | DOUGLAS FIR




**6366**  
 Black Caming  
 3'0" x 6'8"



**6316**  
 Black Caming  
 3'0" x 6'8"



**6356 DOOR**  
**6347 SIDELITE**  
 Black Caming  
 3'0" x 6'8" Door  
 1'2" x 6'8" Sidelite



Black Caming  
 3'0" x 8'0" Door  
 1'2" x 8'0" Sidelite



UltraBlock® Technology 3/4" Flat Panel with Ovolo Sticking

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite

## CALIFORNIA POPPY® | DOUGLAS FIR



6980



Black Caming  
3'0" x 6'8"



6962



Black Caming  
3'0" x 6'8", 3'0" x 7'0",  
and 3'6" x 6'8" (8-1/2" stiles)



Black Caming  
3'0" x 8'0"



6962 AM  
Angled Mutt  
Black Caming  
3'0" x 6'8"



6962 AR  
Arched Rail  
Black Caming  
3'0" x 6'8"



6983



Black Caming  
3'0" x 6'8"

## NORTHWEST GARDEN® | DOUGLAS FIR



6991



Black Caming  
3'0" x 6'8"



6992



Black Caming  
3'0" x 6'8", 3'0" x 7'0",  
and 3'6" x 6'8" (8-1/2" stiles)



Black Caming  
3'0" x 8'0"



6992 AM  
Angled Mutt  
Black Caming  
3'0" x 6'8"



6992 AR  
Arched Rail  
Black Caming  
3'0" x 6'8"



6990



Black Caming  
3'0" x 6'8"




**6181**  
 Black Caming  
 12" x 68"



**6184**  
 Black Caming  
 12" x 68"



**6186**  
 Black Caming  
 12" x 68"





6962 AM Door 6181 SL



# KNOTTY ALDER



- |  |   |   |   |   |
|--|---|---|---|---|
|  <p><b>6801</b><br/>Clear IG<br/>3'0" x 6'8"</p>        |  <p><b>36802</b><br/>Clear IG<br/>3'0" x 6'8"</p>        |  <p><b>36803</b><br/>Clear IG<br/>3'0" x 6'8"</p>  |  <p><b>37662-S</b><br/>Clear IG   Low-E<br/>Special Layout<br/>1-5/8" Shaker Muntin Bars<br/>3'0" x 6'8"</p> |  <p><b>6175</b><br/>Clear IG<br/>12" x 6'8"</p>      |
|  <p><b>37662</b><br/>Clear IG<br/>3'0" x 6'8"</p>      |  <p><b>6170</b><br/>Clear IG<br/>12" x 6'8"</p>         |  <p><b>6961</b><br/>Black Caming<br/>3'0" x 6'8"</p>                                    |  <p><b>6179</b><br/>Black Caming<br/>12" x 6'8"</p>   |  <p><b>6176</b><br/>Black Caming<br/>12" x 6'8"</p> |
|  <p><b>6841</b><br/>Black Caming<br/>3'0" x 6'8"</p>  |  <p><b>36842</b><br/>Black Caming<br/>3'0" x 6'8"</p>  |  <p><b>36843</b><br/>Optional 9541<br/>dentil shelf<br/>Black Caming   3'0" x 6'8"</p> |  <p><b>6171</b><br/>Black Caming<br/>12" x 6'8"</p>  |   |
|  <p><b>6821</b><br/>Silver Caming<br/>3'0" x 6'8"</p> |  <p><b>36823</b><br/>Silver Caming<br/>3'0" x 6'8"</p> |  <p><b>6172</b><br/>Silver Caming<br/>12" x 6'8"</p>                                   |   |   |

UB UltraBlock® Technology | FP 3/4" Flat Panel with Ovolo Sticking

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite



**6931**  
Black Caming  
3'0" x 6'8"



**36932**  
Black Caming  
3'0" x 6'8"



**36933**  
Black Caming  
3'0" x 6'8"



**6178**  
Black Caming  
1'2" x 6'8"



**6177**  
Black Caming  
1'2" x 6'8"



**6972**  
Optional 9541  
Dentil Shelf  
Black Caming | 3'0" x 6'8"



**6182**  
Black Caming  
1'2" x 6'8"




**6185**  
Black Caming  
1'2" x 6'8"



**6992**  
Black Caming  
3'0" x 6'8"



**6186**  
Black Caming  
1'2" x 6'8"



**6962**  
Black Caming  
3'0" x 6'8"



**6181**  
Black Caming  
1'2" x 6'8"



**6184**  
Black Caming  
1'2" x 6'8"

**DENTIL SHELF OPTIONS**

**9541**  
KnottyAlder Large Tooth

UB UltraBlock® Technology | 3/4" Flat Panel with Ovolo Sticking

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite



# EXTERIOR FRENCH DOORS

Choosing the right doors can significantly enhance the view. French doors have remained popular among homeowners due to their ability to seamlessly link interior spaces with outdoor surroundings, encouraging the flow of light.

Our Exterior French doors are built with Simulated Divided Lites (SDL), unless otherwise noted.



## FRENCH DOORS | DOUGLAS FIR

 <b>7002</b>  Low-E IG 2'0", 2'6", 2'8", 2'10", 3'0" x 6'8"  Clear IG 2'6", 2'8", 2'10", 3'0" x 6'8" and 3'0" x 8'0"	 <b>7701</b>  Low-E IG 1'2" x 6'8"	 <b>7002</b>  Low-E IG 3'0" x 8'0"  Low-E IG 3'0" x 8'0"	 <b>7701</b>  Low-E IG 1'2" x 8'0"	 <b>7037</b>  Low-E IG 2'6", 2'8", 2'10", 3'0" x 6'8" and 3'0" x 8'0"  Clear IG 3'0" x 7'0"	 <b>37010</b>  Low-E IG 2'6", 2'8", 3'0" x 6'8" (4-1/2" stiles)
 <b>37015</b>  Low-E IG 2'6", 2'8", 3'0" x 6'8" (4-1/2" stiles)	 <b>37105</b>  Low-E IG 3'0" x 6'8" (4-1/2" stiles)	 <b>37705</b>  Low-E IG 1'2" x 6'8"	 <b>37109</b>  Low-E IG 2'6", 2'8", 3'0" x 6'8"	 <b>TDL 7598</b>   <b>TDL</b>   Beveled IG 3'0" x 6'8"	 <b>TDL 7599</b>  <b>TDL</b>   Beveled IG 1'2" x 6'8"

 UltraBlock® Technology 
  NO UltraBlock® Technology 
  1-7/16" Innerbond® Double-Hip Raised Panel with Ovolo Sticking

IG = 3/4" Insulated Glass | TDL = True Divided Lite  
 If not specified: SDL = Simulated Divided Lite



37015 | Low-E IG




## WATERBARRIER TECHNOLOGY

WaterBarrier combines a medium density overlay (MDO) over the exterior surface of the door with PVC glazing beads for an exterior that's not only resistant to moisture, but provides a beautiful surface for paint.

When paired with Douglas Fir on the interior, you can harmonize with your indoor woodwork while maintaining the inviting warmth and inherent beauty that wood offers.

Primed Medium Density Overlay for flat surfaces. Innerbond® Double-Hip Raised panels have a water-resistant primer.

Water-resistant glazing bead and SDL bars on exterior side. Wood bars on interior side.



**Simpson®**  
Door Company

**Weather Seal™ Process**  
Entire stile & rail joints coated and bonded to decrease the possibility of water infiltration.

**UltraBlock® Technology**  
Composite block material finger-jointed into the bottom of the stiles.



**7002**  
Low-E IG  
Douglas Fir  
2'6", 2'8", 2'10", 3'0" x 6'8"



**37010**  
Low-E IG  
Douglas Fir  
2'6", 2'8", 3'0" x 6'8"  
(4-1/2" stiles)



**37015**  
Low-E IG  
Douglas Fir  
2'8", 3'0" x 6'8"  
(4-1/2" stiles)

UltraBlock® Technology WaterBarrier®

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite



# ENTRY DOORS

For those with refined tastes, every choice in life is carefully considered. These entry doors offer captivating designs that offer exceptional craftsmanship and elegant decorative glass designs.



6424 Door Custom Transom & SL



## ENTRY DOORS | DOUGLAS FIR



4234



Black Caming  
5/8" IG

3'0" x 6'8" (4-1/2" Stiles)



TDL\*\*  
4245



TDL | Black Caming  
5/8" IG

3'0" x 6'8" (4-1/2" Stiles)



4232



Black Caming  
5/8" IG

3'0" x 6'8" (4-1/2" Stiles)



TDL\*\*  
4243



TDL | Black Caming  
5/8" IG

3'0" x 6'8" (4-1/2" Stiles)



4233

Black Caming  
12" x 6'8"



4041

Operable Speaking Port  
3'0" x 6'8"



37120



5/8" IG  
3'0" x 6'8"



6420\*



Black Caming  
3'0" x 6'8"



6421\*

Black Caming  
12" x 6'8"



6424



Black Caming  
3'0" x 6'8"



6425

Black Caming  
12" x 6'8"



6424



Black Caming  
3'0" x 8'0"

\* Door glass not reversible. As viewed from exterior of home.

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite

ULB UltraBlock® Technology RP1 1-1/4" Innerbond® Double-Hip Raised Panel with Ovolo Sticking

RP1 1-1/4" Caprice Double-Hip Raised Panel with Ovolo Sticking



## HALF LITE DOORS

HalfLiteDoors offer enhanced privacy compared to French doors, while still permitting more natural light than panel doors. They are the ideal door design to build Dutch doors.

Dutch doors add a touch of charm and functionality to homes. The doors are divided horizontally, allowing the top and bottom halves to operate independently of each other. This design creates versatility in usage, as each half can be opened and closed separately. Ask us for more information.

Crafted with Simulated Divided Lite (SDL) construction and UltraBlock® Technology, these doors combine functionality with traditional charm.



37944 | Low-E IG  

### DOUGLAS FIR

 <p><b>7008</b></p> <p>  Low-E IG 2'8", 3'0" x 6'8" 4-1/2" stiles</p>	 <p><b>7081</b></p> <p>  Low-E IG 2'8", 3'0" x 6'8" 4-1/2" stiles</p>	 <p><b>7044</b></p> <p> Low-E IG 2'8" x 6'8" 4-1/2" stiles</p>	 <p><b>7702</b></p> <p>  Low-E IG 2'8", 3'0" x 6'8" Door 4-1/2" or 5-1/2" stiles</p>	 <p><b>37944</b></p> <p> Low-E IG 12" x 6'8"</p>	 <p><b>37703</b></p> <p> Low-E IG 2'8", 3'0" x 6'8" 4-1/2" stiles</p>	 <p><b>37703</b></p> <p> Low-E IG 12" x 6'8"</p>
---	--	--	---	---	---	--

IG = 3/4" Insulated Glass | TDL = True Divided Lite | If not specified: SDL = Simulated Divided Lite

 UltraBlock® Technology  NO UltraBlock® Technology  3/4" Flat Panel with Ovolo Sticking  1-7/16" Innerbond® Double-Hip Raised Panel with Ovolo Sticking



## EXTERIOR PANEL DOORS

Tradition brings a unique comfort. When skills and beliefs are handed down through generations, you know precisely what to anticipate. Our panel doors are designed to be a dependable part of your life.

For over a century, Simpson has been skillfully creating exceptional wood doors of unparalleled quality. This is our specialty, our core identity. That's why you can consistently anticipate the finest craftsmanship from each and every solid wood door.



7130 WLO



### WESTERN HEMLOCK



70782  
70782 WLO



2'8", 3'0" x 6'8"  
4-1/2" stiles or  
5-1/2" wide stiles



70760



2'8", 3'0" x 6'8"  
4-7/16" stiles



465  
465 WLO



2'8", 3'0"  
4-1/2" stiles or  
5-1/2" wide stiles

NO UltraBlock® Technology

Shaker; 3/4" Flat Panel with Square Sticking

1-1/4" Caprice Double-Hip Raised Panel with Ovolo Sticking

**DOUGLAS FIR**



**49900**  
 3'0" x 6'8"  
 Flush  
 Wood Stave Core  
 Dowel-pinned  
 Stile & Rail Joinery,  
 Book Matched  
 Face Veneers



**7282**  
 2'8", 3'0" x 6'8"  
 4-1/2" stiles



**70760**  
 2'8", 3'0" x 6'8"  
 4-7/16" stiles



**7230**  
 3'0" x 6'8"  
 4-1/2" stiles



**7130 WLO**  
 3'0" x 6'8"  
 5-1/2" wide stiles only



**7344**  
**7344 WLO**  
 3'0" x 6'8"  
 4-1/2" stiles or  
 5-1/2" wide stiles

**KNOTTY ALDER**



**755**  
 3'0" x 6'8"



**7282 WLO**  
 3'0" x 6'8"  
 5-1/2" wide stiles only



**7282 WLO**  
 3'0" x 6'8"  
 5-1/2" wide stiles only



**7465**  
 3'0" x 6'8"  
 5-1/2" wide stiles only

UltraBlock® Technology  
 NO UltraBlock® Technology  
 Shaker; 3/4" Flat Panel with Square Sticking  
 Shaker; 3/8" Flat Panel with Square Sticking  
 3/4" FlatPanelwith Ovolo Sticking  
 1-7/16" Innerbond®Double-Hip Raised Panel with Ovolo Sticking

# Interior Wood Stile & Rail



## Unmatched Versatility with Interior Solid Wood Doors

Interior Solid Wood Doors provide the ultimate versatility in design, style, and size. Wood doors are available in a variety of wood species and glass options, allowing you to find the perfect door for your needs, whether it's a standard design or a custom, one-of-a-kind creation.

### Key Benefits of Our Wood Doors:

- **Diverse Styles:** Choose from a wide array of designs to match your interior decor.
- **Customizable Options:** Consider unique customizations to create a door that is truly your own.
- **Quality Craftsmanship:** Enjoy the superior craftsmanship that ensures durability and aesthetic appeal.



# Interior Wood Doors



## INTERIOR PANEL & BIFOLD DOORS

Our interior panel and bifold doors are crafted with the same meticulous attention and skill that defines every one of our wood stile and rail doors. Creating the perfect ambiance within your home is important, and we're here to assist you in achieving that distinctive atmosphere.

Primed French and panel doors give you classic stile and rail construction in a wide variety of standard designs. Primed and ready to paint, these doors will not shrink, split or warp. Our

interior panel, French and bifold doors have a standard thickness of 1-3/8".

8730 | Primed

# SHAKER | PRIMED

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
A	•	•	•	•	•	•	•	•	•	•	•
D					•		•				•
E	•		•		•		•		•	•	•
K	•		•		•		•		•	•	•



# SHAKER BIFOLD | PRIMED



S2 Shaker; 3/8" Flat Panel with Square Sticking

\* For this model, doors 1'10" wide and narrower are built with 2 panels.



## FIRE-RATED PANEL DOORS 20-MINUTE

Fire-Rated panel doors are a requirement for the door passage into your garage. Our range of door designs offers ample choices to help you complete your home package.

UltraBlock® is not available with Fire-Rated Panel Doors. All Fire-Rated Panel Doors carry a 1-Year limited warranty.

### SHAKER | PRIME



89320



20-Minute  
1-3/4"  
28", 3'0" x 6'8"

20-Minute  
1-3/4"  
28", 3'0" x 8'0"



89382



20-Minute  
1-3/4"  
28", 3'0" x 6'8"

20-Minute  
1-3/4"  
28", 3'0" x 8'0"



89360



20-Minute  
1-3/4"  
28", 3'0" x 6'8"

20-Minute  
1-3/4"  
28", 3'0" x 8'0"



89330



20-Minute  
1-3/4"  
28", 3'0" x 6'8"

20-Minute  
1-3/4"  
28", 3'0" x 8'0"



89355



20-Minute  
1-3/4"  
28", 3'0" x 6'8"


20-Minute  
1-3/4"  
28", 3'0" x 8'0"



# INTERIOR FRENCH DOORS

French doors bring a distinctive charm to your home, infusing a sense of warmth through the influx of natural light.

French doors are available with a diverse range of glass options that effortlessly enhance the desired visual appeal.



1501 | Rain Glass | Knotty Alder ©

## PRIMED

### SIZES IN STOCK

	2'0"	2'4"	2'6"	2'8"	3'0"
©	•	•	•	•	•
©	•	•	•		
©			•	•	•




**8411**  
© SHAKER  
White Laminate  
6'8"



**8733**  
© SHAKER  
White Laminate  
6'8"



**8735**  
© SHAKER  
White Laminate  
6'8"



**8010**  
© OVOLO  
Clear Glass  
10-Lite  
6'8"



**8012**  
© OVOLO  
Clear Glass  
12-Lite  
8'0"



**8001**  
© OVOLO\* 8001 SHAKER|QUIRK BEAD  
Clear, Narrow Reed, Rain, Satin Etch, Seedy Baroque Glass or Mirror (one or two sided)  
\* Ovolo also available in 8'0"



OPEN FP OVOLO  
Clear, Narrow Reed, Rain, Satin Etch, Seedy Baroque Glass or Mirror (one or two sided)  
2'0", 2'4", 2'6" & 3'0" x 8'0"



**8490**  
PANTRY OVOLO SHAKER|QUIRK BEAD  
Pantry Glass  
2'0", 2'4", 2'6" & 3'0" x 6'8"



PANTRY OVOLO  
Pantry Glass  
2'0", 2'4", 2'6" & 3'0" x 8'0"



8001 | Narrow Reed | Maple

FRENCH DOOR | PRIMED



8001

OVOLO  
Narrow Reed  
6'8"



OVOLO  
Narrow Reed  
8'0"



OVOLO  
Mirror 1-Side  
6'8"



OVOLO  
Mirror 1-Side  
8'0"



OVOLO  
Pantry  
6'8"



3/4 LITE,  
1-PANEL FLAT, OVOLO  
Pantry  
8'0"

LOUVER DOOR | PRIMED | RADIATA PINE



730

Classic  
1-1/4" Louver Slats  
Radiata Pine



Classic  
1-1/4" Louver Slats  
Primed



730

Classic  
1-1/4" Louver Slats  
Radiata Pine



Classic  
1-1/4" Louver Slats  
Primed

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"
Stock										
B	•									
C										
F										
L										

Full Louver

LOUVER | *RADIATA PINE* | *PRIMED*



730



6'8"

Classic 1-1/4" Louvers  
Radiata Pine



6'8"

Classic 1-1/4" Louvers  
Primed



INTERIOR LOUVER & BARN DOORS

BIFOLD



730



6'8"

Classic 1-1/4" Louvers  
Radiata Pine



6'8"

Classic 1-1/4" Louvers  
Primed

SIZES IN STOCK

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
A	•	•	•	•	•	•	•	•	•	•	•
B	•			•		•	•	•		•	
C				•		•	•	•		•	
D				•		•				•	



80812 | *Knotty Alder*



BARN DOOR | *KNOTTY ALDER* | *PRIMED*



80812



3'0", 3'6" x 7'0"  
Planked  
Knotty Alder



89812



3'0", 3'6" x 7'0"  
Planked  
Primed

3/8" Flat Panel with Ovolo Sticking    Shaker; 3/8" Flat Panel with Square Sticking    Full Louver

## FRENCH DOOR | MAPLE

Stock 1'6" 1'8" 1'10" 2'0" 2'2" 2'4" 2'6" 2'8" 2'10" 3'0"



1501

- OVOLO  
Open & Beaded  
6'8"  
Maple
- OVOLO  
Clear Glass  
6'8"  
Maple
- OVOLO  
Narrow Reed  
Glass  
6'8"  
Maple
- OVOLO  
Rain Glass  
6'8"  
Maple
- OVOLO  
White Laminate  
Glass  
6'8"  
Maple
- OVOLO  
Mirror (1-Side)  
6'8"  
Maple
- OVOLO  
Pantry  
6'8"  
Maple

## FRENCH DOOR | HEMLOCK



1501

- OVOLO  
Open & Beaded  
6'8"  
Hemlock
- OVOLO  
Clear Glass  
6'8"  
Hemlock
- OVOLO  
Narrow Reed  
Glass  
6'8"  
Hemlock
- OVOLO  
Rain Glass  
6'8"  
Hemlock
- OVOLO  
White Laminate  
Glass  
6'8"  
Hemlock
- OVOLO  
Mirror (1-Side)  
6'8"  
Hemlock
- OVOLO  
Pantry  
6'8"  
Western Hemlock

## FRENCH DOOR | RED OAK



1501


- OVOLO  
Open & Beaded  
6'8"  
Red Oak
- OVOLO  
Clear Glass  
6'8"  
Red Oak
- OVOLO  
Narrow Reed Glass  
6'8"  
Red Oak
- OVOLO  
Rain Glass  
6'8"  
Red Oak
- OVOLO  
White Laminate Glass  
6'8"  
Red Oak
- OVOLO  
Mirror (1-Side)  
6'8"  
Red Oak
- OVOLO  
Pantry  
6'8"  
Red Oak



## INTERIOR PANEL & BIFOLD DOORS

Our interior panel and bifold doors are crafted with the same meticulous attention and skill that defines every one of our wood stile and rail doors. Creating the perfect ambiance within your home is crucial, and we're here to assist you in achieving that distinctive atmosphere.

Our interior panel and bifold doors have a standard thickness of 1-3/8".



55 | Douglas Fir 

SHAKER | FLAT PANEL | RAISED PANEL

SIZES IN STOCK

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"
(A)	.	.	.	.	.	.	.	.	.	.
(B)	.	.	.	.	.	.	.	.	.	.
(E)	.	.	.	.	.	.	.	.	.	.




\* For this model, doors 1'10" wide and narrower are built with 2 panels.

(S2) Shaker; 3/8" Flat Panel with Square Sticking    (FP2) 3/8" Flat Panel with Ovolo Sticking    (RP3) 3/4" Double-Hip Raised Panel with Ovolo Sticking



SHAKER | FLAT PANEL | RAISED PANEL



\* For this model, doors 1'10" wide and narrower are built with 2 panels.

\*\* For this model, doors 1'10" wide and narrower are built with 3 panels.

BIFOLD



Shaker; 3/8" Flat Panel with Square Sticking  
 3/8" Flat Panel with Ovolo Sticking  
 3/4" Double-Hip Raised Panel with Ovolo Sticking



8760 | Primed

SHAKER | PRIMED

SIZES IN STOCK

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
A	.	.	.	.	.	.	.	.	.	.	.
B	.	.	.	.	.	.	.	.	.	.	.
D	.	.	.	.	.	.	.	.	.	.	.
E	.	.	.	.	.	.	.	.	.	.	.
F	.	.	.	.	.	.	.	.	.	.	.

**8720**

Ⓢ Ⓐ 6'8" ⓕ 7'0"  
ⓔ 8'0"

**8782**

Ⓢ Ⓐ 6'8" ⓕ 7'0"  
ⓔ 8'0"

**8730**

Ⓢ Ⓑ 6'8" ⓔ 8'0"

**8760**

Ⓢ Ⓐ 6'8"\* Ⓑ 8'0"\*

**8755**

Ⓢ Ⓐ 6'8" ⓔ 8'0"

Ⓢ Shaker; 3/8" Flat Panel with Square Sticking

ⓕ 3/8" Flat Panel with Ovolo Sticking

\* For this model, doors 1'10" wide and narrower are built with 2 panels.

SHAKER BIFOLD | PRIMED



8701

HP 2 D 6'8"



8702

HP 2 D 6'8"



8700

HP 2 D 6'8"



8705

HP 2 D 6'8"

FLAT OVOLO PANEL | PRIMED



8020

HP 2 A 6'8"



8082

HP 2 A 6'8"



8030

HP 2 B 6'8"



8055

HP 2 A 6'8"

FLAT OVOLO BIFOLD | PRIMED



8021

HP 2 D 6'8"



8043

HP 2 D 6'8"

SIZES IN STOCK

	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
A	.	.	.	.	.	.	.	.	.	.	.
B	.	.	.	.	.	.	.	.	.	.	.
C	.	.	.	.	.	.	.	.	.	.	.
D	.	.	.	.	.	.	.	.	.	.	.

HP 2 Shaker; 3/8" Flat Panel with Square Sticking

HP 2 3/8" Flat Panel with Ovolo Sticking

DOUGLAS FIR | WESTERN HEMLOCK | MAPLE | OAK



- 1501\***
  - C** OVOLO | SHAKER | QUIRK BEAD | Clear Glass 6'8" | Douglas Fir, Western Hemlock, Maple and Oak
  - C** OVOLO | SHAKER | QUIRK BEAD | Narrow Reed Glass 6'8" | Douglas Fir, Western Hemlock, Maple and Oak
  - C** OVOLO | SHAKER | QUIRK BEAD | Rain Glass 6'8" | Douglas Fir, Western Hemlock, Maple and Oak
  - C** OVOLO | SHAKER | QUIRK BEAD | Satin Etch Glass 6'8" | Douglas Fir, Western Hemlock, Maple and Oak
  - C** OVOLO | SHAKER | QUIRK BEAD | Seedy Baroque Glass 6'8" | Douglas Fir, Western Hemlock, Maple and Oak
  - C** OVOLO | SHAKER | QUIRK BEAD | Mirror (one or two sided) 6'8" | Douglas Fir, Western Hemlock, Maple and Oak
  - H** WLO OVOLO | Clear Glass 6'8" | 1-3/4" only | 2'6", 2'8", 3'0" x 6'8" and 3'0" x 7'0" | 5-1/2" wide stiles | Douglas Fir



- 1590**
  - C** OVOLO | SHAKER | QUIRK BEAD | Pantry 6'8" | Douglas Fir and Western Hemlock
- 1310**
  - C** OVOLO TDL | Clamped glazed Clear Glass 6'8" | Douglas Fir and Western Hemlock
- 1315**
  - H** OVOLO TDL | Clamped glazed Clear Glass 6'8" | Douglas Fir



\*1501 Maple and 1501 Oak are available with Ovolo beading only.

KNOTTY ALDER



- 1501**
  - C** OVOLO | SHAKER | QUIRK BEAD | Clear Glass 6'8" | Knotty Alder
  - C** OVOLO | SHAKER | QUIRK BEAD | Narrow Reed Glass 6'8" | Knotty Alder
  - C** OVOLO | SHAKER | QUIRK BEAD | Rain Glass 6'8" | Knotty Alder
  - C** OVOLO | SHAKER | QUIRK BEAD | Satin Etch Glass 6'8" | Knotty Alder
  - C** OVOLO | SHAKER | QUIRK BEAD | Seedy Baroque Glass 6'8" | Knotty Alder
  - C** OVOLO | SHAKER | QUIRK BEAD | Mirror (one or two sided) 6'8" | Knotty Alder
  - C** OVOLO | SHAKER | QUIRK BEAD | Pantry Glass 6'8" | Knotty Alder

DOUGLAS FIR | WESTERN HEMLOCK | KNOTTY ALDER



**9320**  
 Shaker  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir



**9220**  
 FP  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir



**9382**  
 Shaker  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir and  
 Western Hemlock



**9382**  
 Shaker  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Knotty Alder



**9282**  
 RP  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir and  
 Western Hemlock



**9282**  
 FP  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Knotty Alder



**9360**  
 Shaker  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir and  
 Western Hemlock



**9360**  
 Shaker  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Knotty Alder



**9330**  
 Shaker  
 20-Minute  
 1-3/4"  
 3'0" x 6'8"  
 Douglas Fir



**9355**  
 Shaker  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir and  
 Western Hemlock



**9255**  
 RP  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir



**9265**  
 RP  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir and  
 Western Hemlock



**9265**  
 RP  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Knotty Alder



**9244**  
 RP  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir and  
 Western Hemlock



**9266**  
 RP  
 20-Minute  
 1-3/4"  
 2'8", 3'0" x 6'8"  
 Douglas Fir and  
 Western Hemlock


NO UltraBlock® Technology    3/4" Fire-Rated Flat Panel with Shaker Sticking    3/4" Fire-Rated Flat Panel with Ovolo Sticking    1-7/16" Fire-Rated Panel with Ovolo Sticking

# HANDING INFORMATION

**BEFORE YOU BEGIN!** Determine the **INSIDE** and **OUTSIDE** of your installation!


## SINGLE DOOR

Confirm swing and handing, keep the inside and outside of your application in mind!




## DOUBLE DOORS

Identify active door panel, swing and handing, keep the inside and outside of your application in mind!



DOOR HANDING



(808) 484-9360  
99-1451 Koaha Pl Aiea, HI 96701  
HawaiiDoors.com